Kaukauna Locks and Dam, Garage/Stable at Lock 1 Immadiataiy east of the Lockkeeper's residenca Kaukauna Outagamia County Wisconsin HAER No. WI-87-C

HAER WIS 44-KAUK, 3C\_

# **PHOTOGRAPHS**

WRITTEN HISTORICAL AND DESCRIPTIVE DATA

HISTORIC AMERICAN ENGINEERING RECORD
Rocky Mountain System Support Office
National Park Service
P.O. Box 25287
Denver, Colorado 80225-0287

# HISTORIC AMERICAN ENGINEERING RECORD

# KAUKAUNA LOCKS AND DAM, STABLE/GARAGE AT LOCK 1

HAER WIS 44-KAUK, 3C.

#### HAER NO. WI-87-C

Location:

The Stable/Garage at Kaukauna Lock 1 is immediately east of the

lockkeeper's residence in French lot PC 1, T21N, R18E, Civil Town of

Vandenbroek, Outagamie County, Wisconsin.

UTM: 16/399260/4903800; USGS Quadrangle: Kaukauna, Wisconsin

7.5' series

Date of

Construction:

1909

Engineer:

United States Army Corps of Engineers with Contractors

Architect:

United States Army Corps of Engineers with Contractors

Present Owner:

United States Army Corps of Engineers

Present Use:

Vehicle storage for lockkeeper.

Significance:

The stable/garage was constructed as a barn or stable in 1909. The building

currently functions as a garage. The garage serves as part of the

lockkeeper's residence complex.

Project Information:

This documentation was undertaken in 1995 in accordance with

requirements detailed in a June 19, 1994 letter from Gregory D. Kendrick, Chief, History Branch, NPS to Dale Monteith, Acting Chief, Planning Division, USACOE, Detroit District. The Lower Fox system remains basically operational but was placed in caretaker status by the USACOE in 1982. The USACOE plans to divest itself of the Lower Fox system as soon

as is feasible; therefore, NPS requested this documentation. All

documentation conforms to HAER standards.

Dr. John D. Richards, Principal Investigator; Georgia A. Lusk, Patricia B. Richards, and Robert J. Watson, Project Archivists with Great Lakes

Archaeological Research Center, Inc.; Joseph Paskus, Project

Photographer.

## STABLE/GARAGE

A stable at Lock I was built in 1909.<sup>1</sup> The building is a I 1/2 story gabled structure clad with drop siding and roofed with asphalt shingles. The walls are accented by vertical trim. The downstream endwall has a four paneled overhead door installed to the left of a panel-covered entry door. The lockward side includes a gabled dormer with a hayloft door. The building's wooden sills rest on the ground. The structure currently functions as a garage.

## **ENDNOTES**

John N. Vogel, *Kaukauna Locks Historic District*, NPS Form 10-900 National Register of Historic Places Registration Form, 1991.